



**LIFTING
PRODUCTS**
INNOVATE. ELEVATE.

**BUILT TO WORK AS
HARD AS YOU DO**

MATERIAL HANDLING SOLUTIONS PROVIDER

OZ PREMIUM

PREMIUM LEVER & CHAIN HOISTS

Lever Hoist

0.75, 1.5, 3, 6, & 9T Capacity

Chain Hoist

0.5, 1, 1.5, 2, 3, 5, 10, 20, & 30T Capacity

- Standard overload protection
- All-steel construction with powder-coated finish
- Individual test certificates & serial numbers



OZ INDUSTRIAL

INDUSTRIAL LEVER & CHAIN HOISTS

Lever Hoist

0.25, 0.75, 1.5, 3, 6, & 9T Capacity

Chain Hoist

0.25, 0.5, 1, 2, 3, & 5 T Capacity

- All-steel construction
- Individual test certificates & serial numbers



OZ ELECTRIC SERIES

ELECTRIC SERIES

Electric Chain Hoist

500, 1000, 2000 & 4000 lb. Capacity

Electric Builder's Hoist

500 & 1000 lb. Capacity

- 115V power
- Lightweight aluminum construction
- Dual braking system
- Individual test certificates & serial numbers
- Coded pendant or wireless remote options available



WIRELESS ADAPTERS AVAILABLE

OZ DYNO-HOIST

DYNO-HOIST®

0.75, 1.5, 3, 6 & 9 T Capacity

- Integrated dynamometer
- Displays weight in kg. or lb. and "OVER" when 126% rated capacity of hoist is reached
- All-steel construction with powder-coated finish
- Individual test certificates & serial numbers



OZ SPARK RESISTANT SERIES

SPARK RESISTANT SERIES

Chain Hoist

0.5, 1, 2, 3, 5 & 10 T Capacity

Push Beam Trolley

0.5, 1, 2, 3, 5 & 10 T Capacity

- Meets ATEX94/9/EC (EX II2 GD c IIC T135°C) standards
- Anti-spark coated body
- Copper-plated hooks/trolley wheels & bail
- Individual test certificates & serial numbers



OZ ROPES & CHAINS

WIRE & SYNTHETIC ROPE ASSEMBLIES

For use with manual & electric winches

Wire Rope Assemblies

- Galvanized or stainless steel 3/16" or 1/4"

Synthetic Rope Assemblies

- Synthetic 3/16", 1/4", or 5/16"

LOAD & HAND CHAIN FINISHES

For use with hoists

- Zinc-plated
- Case hardened
- Stainless steel (304)
- Spark-resistant



OZ FALL PROTECTION



FALL PROTECTION BEAM CLAMP & TROLLEY

USA Push Beam Trolley

0.5 & 1 T Capacity

USA Beam Clamp

1, 2, 3, 5, & 10 T Capacity

- Meets OSHA standards for fall protection
- All-steel construction with zinc-plated finish for added corrosion protection
- Individual test certificates & serial numbers
- Patented design



OZ CLAMPS & TROLLEYS



BEAM CLAMPS & TROLLEYS

USA Beam Clamp

1, 2, 3, 5, & 10, 12 T Capacity

USA Push Beam Trolley

0.5, 1, 2, & 3 T Capacity

Beam Clamp

1, 2, 3, 5, & 10 T Capacity

Push Beam Trolley

0.25, 0.5, 1, 2, 3, 5 & 10 T Capacity

Quick Adjust Trolley

0.5, 1, 2, 3, 5 & 10 T Capacity

Geared Beam Trolley

1, 2, 3, 5, 10, 20 & 30 T Capacity



- All-steel construction with powder-coated or zinc-plated finish
- Individual test certificates & serial numbers
- USA Push Beam Trolleys feature patented design

OZ STAINLESS SERIES

STAINLESS STEEL SERIES

Lever Hoist

0.25, 0.75, 1.5, & 3 T Capacity

Chain Hoist

0.25, 0.5, 1, 2, 3, & 5 T Capacity

Push Beam Trolley

0.25, 0.5, 1, 2, 3, & 5 T Capacity

Beam Clamp

1, 2, 3, & 5 T Capacity

Brake Winch

1000, 1500, 2000 lb. Capacity

- Stainless Steel Type 304 construction for corrosion-resistance
- Individual test certificates & serial numbers






COMPOZITE® DAVIT CRANE
1200 lb. Capacity

- Made of lightweight advanced composite material, 40% lighter than steel
- Crane weight of 73 lb. (excluding winch & base)
- Manual & electric winch options
- Individual test certificates & serial numbers



COMPOZITE ELITE® DAVIT CRANE
1200 lb. Capacity

- Made of ultra-lightweight carbon fiber, pound-for-pound the lightest in its class
- Crane weight of 31 lb. (excluding winch & base)
- Manual & electric winch options
- Individual test certificates & serial numbers



ALUMI-LITE® DAVIT CRANE
500 lb. and 1000 lb. Capacity

- Lightweight aerospace-grade aluminum
- 500 lb. capacity model weighs 27 lb., 1000 lb. capacity model weighs 47 lb.
- Durable powder-coat finish
- Manual & electric winch options
- Individual test certificates & serial numbers



TELE-PRO® DAVIT CRANE
500 lb., 1200 lb. and 2500 lb. Capacity

- Telescoping boom adjusts while under load
- Patented design
- Manual & electric winch options
- Individual test certificates & serial numbers



XR SERIES DAVIT CRANE
500 lb. and 1000 lb. Capacity

- Maximum 62-inch reach and 87-inch hook height (both models)
- Maintains maximum weight capacity in all positions
- Durable steel construction with powder-coat finish
- Manual & electric winch options
- Individual test certificates & serial numbers



STEEL DAVIT CRANE
500 lb., 1000 lb. and 2500 lb. Capacity

- Durable steel construction with powder coat finish for added corrosion protection
- Manual & electric winch options
- Individual test certificates & serial numbers



STAINLESS DAVIT CRANE
850 lb. and 1500 lb. Capacity

- 304 stainless steel construction with electro-polished finish
- Manual & electric winch options
- Stainless steel base and accessory options
- Individual test certificates & serial numbers



OZ davit cranes are built on an interchangeable base system—quickly move a single crane between bases without tools or re-installation. Choose from a wide range of base options to create a flexible lifting solution tailored to your facility.


Wheel: Move crane to various pick-points within a facility.

Pedestal: Bolted to the floor, in a truck bed, or any flat surface.

Socket: Installed by pouring cement around the base to keep the surface area flat and create high mounting strength.


Wall: Attach to a wall to save floorspace at production line or workstation.

Parapet: Clamp to rooftop for building maintenance.



ONE CRANE. ENDLESS WAYS TO LIFT.

Portable Lifting



Building Maintenance

Sump Pump Installation



TELL US ABOUT YOUR LIFTING NEEDS AND WE WILL MATCH YOU WITH THE IDEAL DAVIT CRANE CONFIGURATION





SPEED & RESPONSIVENESS

Fast lead and shipping times (2-3 days on average), quick turnarounds.



RELIABLE INVENTORY

OZ's in-stock inventory makes products easier to access and more readily available.



OUTSTANDING CUSTOMER SERVICE

"Customer service is second to none in the industry—not just hoist companies, but in the industry."



EXCEPTIONAL QUALITY ASSURANCE

Rigorous and thorough quality testing.



MORE OPTIONS FOR DISTRIBUTORS

"They are the best line in the industry with the best management. It's my favorite line I've ever represented."



7

Patents Held



120+

Countries Served



98%

Products In Stock



2 DAY

Average Fulfillment

CORPORATE OFFICE

1213 Innovation Drive
PO BOX 845
Winona, MN 55987



SALES/TECH SUPPORT

507.474.6250
800.749.1064
sales@ozliftingproducts.com

